BIOLOGICAL LABORATORY WOODS HOLE, MASSACHUSETTS
PUBLICATIONS CALENDAR YEAR 1963

Colton, John B. and Kenneth A. Honey
The eggs and largal stages of the butter fish Poronotus triacanthus. Copeia, No. 2, p. 447-450, June 14, 1963

Day, C. Godfrey
Oceanographic Observations, 1960, East Coast of the United States. SSR-F No. 406, 59 p. 1963

Edwards, Robert L.
Report on the new Albatross IV. Proceedings of the Gulf and Caribbean Fisheries Institute, 15th Annual Session, Nov. 1962, p. 55-59, 1963.

Observations on the small mammals of the southeastern shore of Hudson Bay. The Canadian Field-Naturalist, vol. 77, no. 1, p. 1-12, January-March 1963.

Lux, Fred E.
Identification of New England yellowtail flounder groups, Fishery Bulletin Vol. 63, No. 1, p. 1-10.

McCann, James A. and Frank A. Dryer
Length and age frequency samples collected from Georges Bank haddock landings, 1931-55, SSR-F No. 438, 127 p. 1963

Length and age frequency samples collected from Georges Bank and Gulf of Maine haddock landings, 1956-60, SSR-F No. 439, 113 p., 1963.

Merrill, Arthur S.
Mollusks from a buoy off Georgia. Nautilus, vol. 77, No. 2, p. 68-70.

_____ and Ruth D. Turner
Nest building in the bivalve molluska, genera Mugculus and Lima. The Veliger, vol. 6, no. 2, p. 55-59, October 1963

Miller, David, John B. Colton, Jr. and Robert R. Marak
A study of the vertical distribution of larval haddock. Journal du Conseil, vol. 28, no. 1, p. 3-49, August 1963

Robertson, Robert and Arthur S. Merrill
Abnormal hyperstrophy of post-larval Heliacus (Gastropoda-Architectonicidae. The Veliger, vol. 6, no. 2, p. 76-79, October 1963.

Shaw, William N. and James A. McCann
Comparison of growth of four strains of oysters raised in Taylors Pond, Chatham, Mass. Fishery Bulletin, vol. 63, no. 1, p. 11-17

Wigley, Roland L.
Occurrence of Praunus flexuosus (O.F. Muller) (Mysidacea) in New England waters. Crustaceana, vol. 6, part 2, p. __, 1963

Pognophera on the New England continental slope. Science, vol. 141, no. 3578, p. 358-359, July 1963

Wise, John P.
Bibliography of the biology of the cod, Gadus morhua and related species. Fishery Bulletin 215, vol. 62, p. 483-538.

Cod groups in the New England area. Fishery Bulletin Vol. 63, No. 1, p. 189-203

BIOLOGICAL LABORATORY WOODS HOLE, MASSACHUSETTS
PUBLICATIONS CALENDAR YEAR 1962

Edwards, Robert L., Robert Livingstone, Jr., and Paul E. Hamer
Winter water temperatures and annotated list of fishes--Nantucket Shoals to Cape Hatteras, Albatross III cruise No. 126 - SSR:F No. 397, 31 p. September 1962

Fritz, Raymond L.
Silver Hake. Fishery Leaflet 538, 7 p. May 1962.

Galtsoff, Paul S.
The story of the Bureau of Commercial Fisheries Biological Laboratory, Woods Hole, Massachusetts. Circular 145, 121 p. May 1962.

_____ and Arthur S. Merrill
Notes on shell morphology, growth, and distribution of Ostrea equestris Say. Bulletin of Marine Science of the Gulf and Caribbean, vol. 12, no. 2 p. 234-244, June 1962.

Graham, Herbert W. and Robert L. Edwards
The world biomass ofmarine fishes. In: Meen and Kreuzer Edition. Part I The role of fish in world nutrition, p. 3-8, Fishing News (Books) Ltd., London, 1962.

Robertson, John H. and Albert C. Jensen
The growth rate of New England pollock. Transactions of the American Fisheries Society, vol. 91, no. 2, p. 227-228, April 1962.

Jensen, Albert C.
The stockfish and spiny lobster fisheries of South Africa, Commercial Fisheries Review, vol. 24, no. 11, p. 12-16.

Determining age of young haddock from their scales. Fishery Bulletin 193, pp. 439-450, April 1962

Marking and tagging fishes. Fishery Leaflet 534, 8 p. March 1962

Livingstone, Robert
Underwater television observations of haddock (Melanogrammus aeglefinus Linnaeus) in the cod-end. Journal du Conseil, vol. 27, no. 1, 1962 .

Marak, Robert T., John B. Colton, Jr. and Donald B. Foster
Distribution of fish eggs and larvae, temperature, and salinity in the Georges Bank-Gulf of Maine area, 1955. SSR-F No. 411, 66 p., March 1962.

_____ and David Miller
Distribution of fish eggs and larvae, temperature, and salinity in the Georges Bank-Gulf of Maine area, 1956. SSR-F No. 412, 95 p. March 1962.

Colton, John B., Jr. and Marak, Robert*
Use of the Hardy continuous plankton recorder in a fishery research programme. Bulletin of Marine Ecology, vol. 5, No. 49, p. 231-246, January 1962.

McDermott, John P.
Aluminum punch strip method for measuring fish. Progressive Fish Culturist, vol. 24, no. 2, p. 87, April 1962.

Merrill, Arthur S.
Variation and change in surface sculpture in Arcuida scalesta. Nautilus, vol. 75, no. 4, p. 131-138, April 1962.

Range extension for Cyrtatius caribbaeum with a note on adventitious dispersal. Nautilus, vol. 72, no. 3, p. 94-95, January 1962.

Abundance and distribution of sea scallops off the middle Atlantic coast, Proceedings of the National Shellfisheries Association, 1960, vol. 51, p. 74-80, May 1962.

Miller, David, and Robert R. Marak
Early larval stages of the fourspot flounder, Paralichthys oblongus, Copeia, No. 2, p. 454-455, July 20, 1962

Posgay, Julius A.
Design of a fishery-oceanographic research vessel for the North Atlantic. Special publication of FAO "Research Vessel Design" Traung, J. O, Fujinami, Norio, Editors., 1962

Shaw, William N.
Raft culture of oysters in Massachusetts. Fishery Bulletin 197, p. 481-495, 1962

Raft culture of eastern oysters in Chatham, Massachusetts. Proceedings of the National Shellfisheries Association, 1960, vol. 51, p. 81-92, May 1962.

Staff
Bureau of Commercial Fisheries Biological Laboratory Woods Hole, Massachusetts. Annual report for the year ending June 30, 1961. Circular 137, 89 p. February 1962.

*Credit for publication goes to Boothbay Harbor Laboratory, headquarters of senior author.