NEAMAP
Mid-Atlantic / Southern New England

A Collaborative, Fishery-Independent Trawl Survey Operating in the Coastal Ocean

Chris Bonzek

Jim Gartland

November 2012

NEAMAP

M-A / SNE Near Shore Trawl Survey



Data Use – NMFS Assessments

	Species	Abundance	Length	Sex	Maturity	Age	Diet
NEFMC	Atlantic Sea Scallop	E	E				
NEFMC	Skates (Clns., Little, Winter)	E	E				
NEFMC	Winter Flounder*	I	I	E	E	I	
MAFMC	Spiny Dogfish*	E	E	E	E		E
MAFMC	Bluefish*	E	E			E	
MAFMC	Butterfish	E	E				
MAFMC	*Loligo* Squid	I	E				
MAFMC	Black Sea Bass*	E	E	E	E	E	
MAFMC	Scup*	E	E	E	E	E	
MAFMC	Summer Flounder*	E	E	E	E	E	
	Atlantic Sturgeon	ESA	ESA				

Data Use – ASMFC Assessments

Species	Abundance	Length	Sex	Maturity	Age	Diet
Alewife	E	E	E	E		
Blueback Herring	E	E	E	E		
Atlantic croaker	E	E	E	E	E	
Black Drum	P	P				
Spot	P	P	P	P	P	
Weakfish	E	E	E	E	E	

Data Accessibility

- Annual Reports

  www.vims.edu/fisheries/reports

- Catch Data

  www.vims.edu/fisheries/fao

- Diet Data

  www.vims.edu/fisheries/fishfood

Funding Sources

- Fall 2007 – *ASMFC*
- 2008 – *ASMFC, NEFSC CRP, MAFMC RSA*
- 2009 & 2010 – *MAFMC RSA*
- 2011 & 2012 – *MAFMC RSA & RI CFRF*
- 2013 – *MAFMC RSA*