

**Table 5.3.1.3. Median number of smolts killed during emigration due to direct and indirect cumulative mortality associated with dam passage at each one of the 15 modeled hydroelectric dams. Values are listed for generations (Gen) 1–10 for the scenario with implementation of the PRRP. Hatchery stocking was turned off, the freshwater survival rate was increased by two times the base case value, and the marine survival rate was increased by 4 times the base case value.**

Gen	Medway	Mattaceunk	West Enfield	Dover Upper	Brown's Mills	Sebec	Milo	Howland	Lowell	Milford	Stillwater	Great Works	Orono	Veazie	Frankfort
1	0	4,006	3,257	819	1,486	0	0	0	203	5,481	1,172	0	1,349	0	153
2	0	2,036	2,165	464	947	0	0	0	267	4,953	999	0	1,162	0	162
3	0	1,078	1,603	327	693	0	0	0	325	5,083	1,017	0	1,184	0	190
4	0	612	1,293	281	609	0	0	0	417	5,532	1,127	0	1,334	0	226
5	0	370	1,152	285	625	0	0	0	550	6,525	1,332	0	1,549	0	277
6	0	263	1,065	299	649	0	0	0	672	7,720	1,534	0	1,774	0	332
7	0	229	1,107	340	747	0	0	0	871	8,973	1,736	0	2,038	0	400
8	0	218	1,189	375	795	0	0	0	1,048	10,173	2,004	0	2,334	0	461
9	0	217	1,255	406	860	0	0	0	1,148	11,036	2,220	0	2,598	0	513
10	0	222	1,343	445	915	0	0	0	1,221	11,894	2,329	0	2,701	0	582